



www.superbabyonline.com

### INDIAN BABY IMMUNIZATION SCHEDULE 2015-16

S.No	Vaccine	Prevents	Min Age for Dose 1	Interval Between Dose 1 and Dose 2	Interval Between Dose 2 and Dose 3	Interval Between Dose 3 and Dose 4	Interval Between Dose 4 and Dose 5
1	BCG	TB & bladder cancer	Birth				
2	HepB	Hepatitis B	Birth	4 weeks	8 weeks		
3	Poliovirus	Polio	Birth	4 weeks	4 weeks		
4	DTP	Diphtheria, Tetanus & Pertussis	6 weeks	4 weeks	4 weeks	6 months (Booster 1)	3 years (Booster 2)
5	Hib	Infections caused by Bacteria	6 weeks	4 weeks	4 weeks	6 months (Booster 1)	
6	PCV	Pneumonia	6 weeks	4 weeks	4 weeks	6 months (Booster 1)	
7	RV	Severe Diarrheal Disease	6 weeks	4 weeks	4 weeks		



www.superbabyonline.com

**INDIAN BABY IMMUNIZATION SCHEDULE 2015-16**

S.No	Vaccine	Prevents	Min Age for Dose 1	Interval Between Dose 1 and Dose 2	Interval Between Dose 2 and Dose 3	Interval Between Dose 3 and Dose 4	Interval Between Dose 4 and Dose 5
8	Typhoid	Typhoid Fever, Diarrhea	9 months	15 months (Booster 1)			
9	MMR	Measles, Mumps & Rubella	9 months	6 months			
10	Varicella	Chicken pox	1 year	3 months			
11	HepA	Liver disease	1 year	6 months			
12	Tdap	Diphtheria, Tetanus & Pertussis	7 years				
13	HPV	Some Cancers & Warts	9 years	For Child aged 9-14 years: 6 months. For Child aged 15 or more: 1 month	For Child aged 15 or more: 5 months		



**INDIAN BABY IMMUNIZATION CATCH-UP SCHEDULE 2015-16**

S.No	Vaccine	Prevents	Minimum Age for Dose 1	Interval Between Dose 1 and Dose 2	Interval Between Dose 2 and Dose 3	Interval Between Dose 3 and Dose 4	Interval Between Dose 4 and Dose 5
1	BCG	TB & bladder cancer	Can be given till age 5 only				
2	HepB	Hepatitis B	If missed at birth, then as soon as possible.	1 month	5 months		
3	Poliovirus	Polio	First month after birth	1 month	6 months		
4	DTP	Diphtheria, Tetanus & Pertussis	Any time	1 month	5 months		
5	Hib	Infections caused by Bacteria	Can be given till age 5 only.	4 weeks	6 months (Booster 1)	6 months	6 months (Booster 2)
6	PCV	Pneumonia	Dose when aged between 2-5 years old				



**INDIAN BABY IMMUNIZATION CATCH-UP SCHEDULE 2015-16**

S.No	Vaccine	Prevents	Minimum Age for Dose 1	Interval Between Dose 1 and Dose 2	Interval Between Dose 2 and Dose 3	Interval Between Dose 3 and Dose 4	Interval Between Dose 4 and Dose 5
7	RV	Severe Diarrheal Disease	Age should be less than 6 months	4 weeks	4 weeks		
8	Typhoid	Typhoid Fever, Diarrhea	Can be given any time				
9	MMR	Measles, Mumps & Rubella	For school-aged children	4 weeks			
10	Varicella	Chickenpox	Can be given any time	For ages 7-12 years: 3 months. For ages 13-18 years: 4 weeks			
11	HepA	Liver disease	Can be give any time	6 months			



**INDIAN BABY IMMUNIZATION CATCH-UP SCHEDULE 2015-16**

S.No	Vaccine	Prevents	Minimum Age for Dose 1	Interval Between Dose 1 and Dose 2	Interval Between Dose 2 and Dose 3	Interval Between Dose 3 and Dose 4	Interval Between Dose 4 and Dose 5
12	Tdap	Diphtheria, Tetanus & Pertussis	For ages 7-10 years: 1st dose. For ages 11-18 years: One dose.	Ages 7-10: 1 month	Ages 7-10: 5 months		

This chart is based on IAP recommended immunization schedule 2014.  
Make sure you read official IAP recommendation file and foot notes. It can be accessed here.  
It can be accessed here.

<http://www.indianpediatrics.net/oct2014/785.pdf>